



PUBLICAÇÕES (1994 A 2004)

2004

GUERRA, M. and GARCIA, M. A. (2004) Heterochromatin and rDNA sites distribution in the holocentric chromosomes of *Cuscuta approximata* Bab. (Convolvulaceae). *Genome*, 47: 134 – 140.

Melotto, M. ; Coelho, M. F. ; PEDROSA-HARAND, A. ; Kelly, J. D. ; Camargo, L. E. A. . The Anthracnose Resistance Locus Co-4 Of Common Bean Is Located On Chromosome 3 And Contains Putative Disease Resistance-Related Genes. *Theoretical And Applied Genetics*, Berlin, V. 109, N. 4, P. 690-699, 2004

2003

BRASILEIRO-VIDAL, A. C., CUADRADO, A., BRAMMER, S. P., ZANATTA, A. C. A., PRESTES, A. M., FERNANDES, M. I. B. M. and GUERRA, M. (2003) Chromosome characterization in *Thinopyrum ponticum* (Triticeae, Poaceae) using in situ hybridization with different DNA sequences. *Genetics and Molecular Biology*, 26: 505 – 510.

CORNÉLIO, M. T. M., FIGUEIROA, A. R. S., SANTOS, K. G. B., CARVALHO, R., SOARES-FILHO, W. S. and GUERRA, M. (2003) Chromosomal relationships among cultivars of *Citrus reticulata* Blanco, its hybrids and related species. *Plant Systematics and Evolution*, 240: 149 – 161.

MARCON, A. B., BARROS, I. C. L. and GUERRA, M. (2003) Karyology of some pteridophytes species occurring in the Northeast of Brazil. *Acta Botanica Brasilica*, 17: 19 – 26.

MARCON, A. B., BARROS, I. C L. and GUERRA, M. (2003) A karyotype comparison between two closely related species of *Acrostichum*. *American Fern Journal*, 93:116 – 125.

MELO, N. F. and GUERRA, M. (2003) Variability of the 5S and 45S rDNA sites in *Passiflora* L. species with distinc base chromosome numbers. *Annals of Botany*, 92: 309 – 316.

PEDROSA, A. ; Vallejos, C. E. ; Bachmair, A. ; Schweizer, D. . Integration Of Common Bean (*Phaseolus vulgaris* L.) Linkage And Chromosomal Maps. *Theoretical And Applied Genetics*, Heidelberg, V. 106, N. 2, P. 205-212, 2003.

Puizina, J. ; Weiss-Schneeweiss, H. ; PEDROSA-HARAND, A. ; Kamenjarin, J. ; Trinajstic, I. ; Riha, K. ; Schweizer, D. . Karyotype Analysis In *Hyacinthella Dalmatica* (Hyacinthaceae) Reveals Vertebrate-Type Telomere Repeats At The Chromosome Ends. *Genome* (Ottawa), Ottawa, V. 46, N. 6, P. 1070-1076, 2003

VANZELA, A. L. L., CUADRADO, A. and GUERRA, M. (2003) Localization of 45S rDNA and telomeric sites on holocentric chromosomes of *Rhynchospora tenuis* Link (Cyperaceae). *Genetics and Molecular Biology*, 26: 199 – 203.

2002

CARVALHO, R; GUERRA, M. (2002) Cytogenetics of *Manihot esculenta* Crantz (cassava) and eight related species. *Hereditas*, 136: 159 – 168.

PEDROSA, A. ; Sandal, N. ; Stougaard, J. ; Schweizer, D. ; Bachmair, A. . Chromosomal Map Of The Model Legume *Lotus Japonicus*. *Genetics* (Austin), Pittsburgh, Pa, Eua, V. 161, N. 4, P. 1661-1672, 2002.

Sandal, N. ; Krussel, L. ; Radutoiu, S. ; Olbryt, M. ; PEDROSA, A. ; Stracke, S. ; Sato, S. ; Kato, T. ; Tabata, S. ; Parniske, M. . A genetic linkage map of the model legume *Lotus japonicus* and strategies for fast mapping of new loci. *Genetics* (Austin), Pittsburgh, PA, EUA, v. 161, n. 4, p. 1673-1683, 2002.

2001

GUERRA, M. (2001) Fluorescent in situ hybridization in plant polytene chromosomes. *Methods in Cell Science*, 23: 133 – 138.

Hayashi, M. ; Miyahara, A. ; Sato, S. ; Kato, T. ; Yoshikawa, M. ; Taketa, M. ; Hayashi, M. ; PEDROSA, A. ; Onda, R. ; Imaizumi-Anraku, H. . Construction Of A Genetic Linkage Map Of The Model Legume *Lotus Japonicus* Using An Intraspecific F2 Population. *Dna Research*, Tokyo, V. 8, P. 301-310, 2001.

MELO, N. F. and GUERRA, M. (2001) Karyotypic stability in asparagus (*Asparagus officinalis* L.) cultivars revealed by rDNA in situ hybridization. *Cytologia*, 66: 127 – 131.

MELO, N. F., CERVI, A. C. and GUERRA, M. (2001) Karyology and cytotaxonomy of the genus *Passiflora* L. (Passifloraceae). *Plant Systematics and Evolution*, 226: 69 – 84.

PEDROSA, A. ; Jantsch, M. F. ; Moscone, E. A. ; Ambros, P. F. ; Schweizer, D. . Characterisation Of Pericentromeric And Sticky Intercalary Heterochromatin In

Ornithogalum Longibracteatum (Hyacinthaceae). Chromosoma (Berlin), V. 110, P. 203-213, 2001

PITREZ, S. R., FÉLIX, L., BARRETO, R. and GUERRA, M. (2001) Chromosome numbers of Commelinaceae species occurring in the Northeast of Brazil (in Portuguese, with English abstract). Boletim Botânico da Universidade de São Paulo, 19: 7 – 14.

2000

FÉLIX, L. and GUERRA, M. (2000) Cytogenetics and cytotaxonomy of some Brazilian species of Cymbidiod orchids. Genetics and Molecular Biology, 23: 957 – 978.

Guerra M (2000) Chromosome number variation and evolution in monocots. In: Monocots: Systematics and Evolution. Eds KL Wilson, DA Morrison (CSIRO, Melbourne).

GUERRA, M. (2000) Patterns of heterochromatin distribution in plant chromosomes. Genetics and Molecular Biology, 23: 1029 – 1041.

GUERRA, M. and FÉLIX, L. (2000) The karyotype of *Nothoscordum pulchellum* (Alliaceae), with emphasis on the heterochromatin and rDNA sites (in Portuguese, with English abstract). Boletim da Sociedade Argentina de Botanica, 35: 283 – 289.

GUERRA, M., SANTOS, K. G., SILVA, A. E. B. and EHRENDORFER, F. (2000) Heterochromatin banding patterns in Rutaceae-Aurantioideae - A case of parallel chromosomal evolution. American Journal of Botany, 87: 735 – 747.

PEDROSA, A., SCHWEIZER, D. and GUERRA, M. (2000) Cytological heterozygosity and the hybrid origin of sweet orange (*Citrus sinesis* (L) Osbeck). Theoretical and Applied Genetics, 100: 361 – 367.

VANZELA, A. L. L. and GUERRA, M. (2000) Heterochromatin differentiation in holocentric chromosomes of *Rhynchospora* (Cyperaceae). Genetics and Molecular Biology, 23: 453 – 456.

VANZELA, A. L. L., LUCEÑO. M. and GUERRA, M. (2000) Karyotype evolution and cytotaxonomy in Brazilian species of *Rhynchospora* Vahl (Cyperaceae). Botanical Journal of the Linnean Society, 134: 557 – 566.

1999

BRASILEIRO, A. C. R., WILLADINO, L., GUERRA, M., MEUNIER, I. and CAMARA, T. R. (1999) Anther development stage and gama radiation effects on tomato

anther-derived callus formation (in Portuguese, with English abstract). *Scientia Agricola*, 56: 835 – 842.

BRASILEIRO, A. C. R., WILLADINO, L., CARVALHEIRA, G. and GUERRA, M. (1999) Callus induction and plant regeneration of tomato (*Lycopersicon esculentum* cv. IPA 5) via anther culture. *Ciência Rural*, 29: 619 – 623.

CARVALHO, R. de, GUERRA, M. and CARVALHO, P. C. L. (1999) Occurrence of spontaneous triploidy in *Manihot esculenta* Crantz. *Cytologia*, 64: 137 – 140.

FÉLIX, L. and GUERRA, M. (1999) Chromosome analysis in *Psygmorechis pusila* (L.) Dodson & Dressler: the smallest chromosome number known in Orchidaceae. *Caryologia*, 52: 165 – 168.

GUERRA, M. (1999) Haematoxylin: A simple, multiple-use dye for chromosome analysis. *Genetics and Molecular Biology*, 22: 77 – 80.

MARTINS, E. F. and GUERRA, M. (1999) Longitudinal differentiation in chromosomes of *Sesbania* Scop. species (Fabaceae). *Caryologia*, 52: 97 – 103.

PEDROSA, A., GITAÍ, J., SILVA, A. E. B., FÉLIX, L. and GUERRA, M. (1999) Cytogenetics of angiosperms collected in the state of Pernambuco - V (in Portuguese, with English abstract). *Acta Botanica Brasilica*, 13: 49 – 60.

1998

CARVALHEIRA, G. and GUERRA, M. (1998) The polytene chromosomes of tapetal cells in the anther of some *Vigna* Savi cultivars and species. *Cytobios*, 94: 161 – 168.

FÉLIX, L. and GUERRA, M. (1998) Cytogenetical studies on species of *Habenaria* Willd. (Orchidaceae-Orchidoideae) occurring in the Northeast of Brazil. *Lindleyiana*, 13: 224 – 230.

FUJII, M. and GUERRA, M. (1998) Improved haematoxylin staining to algae cytogenetics. *Biotechnic and Histochemistry*, 73: 78 – 81.

LUCEÑO, M., VANZELA, A. and GUERRA, M. (1998) Cytotaxonomic studies in Brazilian *Rhynchospora* (Cyperaceae), a genus exhibiting holocentric chromosomes. *Canadian Journal of Botany*, 76: 440 – 449.

VANZELA, A., CUADRADO, A., JOUVE, A., LUCEÑO, M. and GUERRA, M. (1998) Multiple locations of the rDNA sites in holocentric chromosomes of *Rhynchospora* (Cyperaceae). *Chromosome Research*, 6: 345 – 349.

1997

PEDROSA, A., GUERRA, M. and SOARES, W. (1997) An hierarchy of activation of nucleolar organizer regions in *Citrus sinensis* (L.) Osbeck. *Cytobios*, 92: 43 – 51.

MELO, N. F., GUERRA, M., ISEPPON, A. M. B. and MENEZES, N. L. (1997) Cytogenetics and cytotaxonomy of Velloziaceae. *Plant Systematics and Evolution*, 204: 257 – 273.

GUERRA, M., PEDROSA, A., SILVA, A. E. B., CORNÉLIO, M. T. M., SANTOS, K., SOARES-FILHO, W. dos S. (1997) Chromosome number and secondary constriction variation in 51 accessions of a Citrus germoplasm bank. *Revista Brasileira de Genética*, 20: 489 – 496.

1996

GUERRA, M. and KENTON, A. (1996) Distribution of telomere DNA in mitotic and polytene nuclei of anther tapetum of the tetraploid hybrid bean, *Phaseolus vulgaris* x *P. acutifolius*. *Revista Brasileira de Genética*, 19: 313 – 318.

GUERRA, M., KENTON, A. and BENNETT, M. D. (1996) rDNA sites in mitotic and polytene chromosomes of *Vigna unguiculata* (L) Walp. and *Phaseolus coccineus* L. revealed by in situ hybridization. *Annals of Botany*, 78: 157 – 161.

LUCEÑO, M. and GUERRA, M. (1996) Numerical variations in species exhibiting holocentric chromosomes: a nomenclatural proposal. *Caryologia*, 49: 301 – 309.

VANZELA, A., GUERRA, M. and LUCEÑO, M. (1996) *Rhynchospora tenuis* Link (Cyperaceae), a species with the lowest number of holocentric chromosomes. *Cytobios*, 88: 219 – 228.

1994

CARVALHEIRA, G. M. G. and GUERRA, M. (1994) The polytene chromosomes of the anther tapetum of some *Phaseolus* species. *Cytologia*, 59: 211 – 217.

GUERRA, M. and CARVALHEIRA, G. M. G. (1994) Occurrence of polytene chromosomes in the anther tapetum of *Vigna unguiculata* (L.) Walp. *Journal of Heredity*, 68: 288 – 292.